

PRESENTED WITH ENGLISH *Woman*  
WORLD'S GREATEST WEEKLY FOR WOMEN

Supplement to WOMAN dated February 4, 1961

# ALL THE LATEST KNITTEDS

SIXTEEN up - to - date  
designs to knit, for  
you and all the family





# Dolman Jumper-Cardigan

Smart and oh-so-flattering with its elegant  
three-quarter sleeves and unusual collar

**MATERIALS:** Patons Beehive 4-ply: 12 (13 : 14) oz. main colour, 1 oz. contrast for crochet; two each Nos. 9 and 11 knitting needles; No. 9 crochet hook; 9 buttons.

**Measurements:** To fit a 32 (34 : 36) in. bust; length, 18½ ins.; sleeve, 10 ins.

**Tension:** 13 sts. and 16 rows to 2 ins.

**Abbreviations:** See page three.

**BACK:** With No. 11 needles cast on 94 (100 : 106) sts. Work 2½ ins. in k. 1, p. 1 rib. Change to No. 9 needles. Continue in st.st., inc. 1 st. each end of every 6th row until there are 110 (116 : 122) sts. Continue until work measures 9 ins. To

shape sleeve, inc. 1 st. each end of next 8 rows. Cast on 9 sts. at beg. of next 10 rows. 216 (222 : 228) sts. Continue until work measures 16 ins.

**Shoulder Shaping:** Cast off 3 (6 : 9) sts. at beg. of next 2 rows. Cast off 10 sts. at beg. of next 18 rows. Cast off.

**LEFT FRONT:** With No. 11 needles cast on 44 (48 : 52) sts. Work 2½ ins. in k. 1, p. 1 rib. Change to No. 9 needles. Continue in st.st., inc. 1 st. at beg. of 5th and every 6th row until there are 52 (56 : 60) sts. Continue until work measures 9 ins., ending p. To shape sleeve, inc. 1 st. at beg. of next row and at this edge on following 7 rows. Cast on 9 sts. at beg. of next and following 4 alternate rows. 105 (109 : 113) sts. Continue until work measures 16 ins., ending k.

**Neck and Shoulder Shaping:** Cast off 6 (7 : 8) sts. at beg. of next row. **Next row.**—Cast off 3 (6 : 9), k. to last 2 sts., k. 2 tog. Dec. at neck edge on next 5 rows, at same time cast off 10 sts. at beg. of next 9 alternate rows.

**RIGHT FRONT:** As left, reversing shapings.

**COLLAR:** With No. 9 needles cast on 90 sts. Work 8 rows st.st. Cast off 6 sts. at beg. of next 2 rows. Rep. last 10 rows once. Work 8 rows st.st. Cast off.

**CUFFS:** Join shoulders. With No. 11 needles pick up and k. 60 sts. along sleeve edge. Work 2 ins. in k. 1, p. 1 rib. Cast off ribwise.

**FRONT BORDERS:** With M.C. work 78 d.c. up straight right front edge. Join C. Work 3 rows, working 1 d.c. in each d.c. **Next row.**—2 d.c., (2 ch., miss 2 d.c., 7 d.c.) 8 times, 2 ch., miss 2 d.c., 2 d.c. Work 2 rows d.c. Fasten off. Work left border to match, omitting buttonholes.

**COLLAR BORDER:** With M.C. work 1 row d.c. round collar edge omitting cast-on edge, working 2 d.c. in outer corners and missing 2 d.c. in inner corners. With C. work 2 rows, working 1 d.c. in each d.c. Fasten off carefully.

**MAKING UP:** Press work omitting ribbing. Join side and under-sleeve seams. Sew on collar, beg. and ending at centre of front borders. Sew on buttons. Press seams.



Simple double crocheted borders  
add glamour to this classic style



Easy-going sweater  
with a nautical air

# Striped for Sailing

**MATERIALS:** Patons Beehive 4-ply: 12 (13 : 14) oz. main colour, 1 oz. each light and dark contrast; two each Nos. 8 and 10 knitting needles.

**Measurements:** To fit a 39 (41 : 43) in. chest; length, 25 ins.; sleeve, 19 ins.

**Tension:** 13 sts. and 18 rows to 2 ins.

**Abbreviations:** See below.

**BACK:** With No. 10 needles and M.C. cast on 132 (138 : 144) sts. Work 9 rows st.st. (beg. k.). K. 1 row for hemline. With L. work 8 rows st.st. (beg. k.). Change to No. 8 needles. With M.C. continue in st.st. until work measures 10½ ins. from hemline. Working in st.st. work (2 rows D., 4 rows M.C.) 3 times, 2 rows M.C., 6 rows L., 2 rows M.C., (4 rows M.C., 2 rows D.) 3 times.

**Armhole Shaping:** Continue in M.C. casting off 8 sts. at beg. of next 2 rows. Dec. 1 st. at beg. of next 16 rows. 100 (106 : 112) sts. Continue in M.C. until work measures 22 ins. from hemline, ending p. Work (2 rows D., 2 rows M.C.) 3 times \*. Continue in M.C. until work measures 25 ins. from hemline.

**Shoulder Shaping:** Cast off 9 (10 : 11) sts. at beg. of next 6 rows. Cast off.

**FRONT:** Work exactly as for back to \*.

## ABBREVIATIONS FOR ALL GARMENTS

K. = knit; p. = purl; sts. = stitches; ins. = inches; inc. = increase; dec. = decrease; st.st. = stocking stitch; g.st. = garter stitch; tog. = together; t.b.l. = through back of loop; sl. = slip; p.s.s.o. = pass sl. st. over; w.fd. = wool forward; w.r.n. = wool round needle; m. 1 = make a st. (pick up loop before next st. and k. into back of it); t. 2 r. = twist 2 right; t. 2 l. = twist 2 left; d.c. = double crochet; ch. = chain; beg. = beginning; rep. = repeat; patt. = pattern; M.C. = main colour; C. = contrast; D. = dark; L. = light.

**Note.**—Where more than one size is given, instructions are for smallest size with larger sizes in brackets.

**Making-up Hints.**—Always press work (avoiding ribbed sections) on wrong side with a warm iron over a damp cloth. Seams should be back-stitched, about ⅛ in. from edge and finally pressed lightly.



Simple to knit in stocking stitch, with neckband and cuffs in single rib

**Neck Shaping:** Next row.—K. 34 (37 : 40), cast off 32, k. to end. Work on last sts., dec. 1 st. at neck edge on next 7 alternate rows.

**Shoulder Shaping:** Cast off 9 (10 : 11) sts. at beg. of next and following 2 alternate rows. Complete other side of neck to match.

**SLEEVES:** With No. 10 needles and M.C. cast on 60 sts. Work 3 ins. in k. 1, p. 1 rib. Change to No. 8 needles. Continue in st.st., inc. 1 st. each end of every 6th row until there are 98 sts. Continue until work measures 19 ins. To shape top cast off 8 sts. at beg. of next 2 rows. Dec. 1 st. at beg. of every row until 26 sts. remain. Dec. 1 st. each end of next 6 rows. Cast off.

**NECKBAND:** Join right shoulder. With No. 10 needles and L., pick up and k. 80 sts. round front neck and 48 sts. across back neck. Work 12 rows in k. 1, p. 1 rib. Cast off ribwise.

**MAKING UP:** Press work. Join left shoulder and neckband seam. Set in sleeves. Join side and sleeve seams. Fold in and sew down hem at lower edge. Fold neckband in half on wrong side and hem.



# Toddler's Hooded Jacket

It's just right for pram outings

**MATERIALS:** 5 oz. Patons Beehive 4-ply; two No. 10 knitting needles; press-stud.

**Measurements:** To fit up to a 21-in. chest; length, 12½ ins.; sleeve, 8½ ins.

**Tension:** 7 sts. and 10 rows to 1 in.

**Abbreviations:** See page three.

**BACK:** Cast on 80 sts. **1st row.**—K. 2, (p. 1, k. 2) to end. P. 1 row. These 2 rows form patt. Continue in patt. until work measures 7 ins.

**Raglan Shaping:** Dec. 1 st. at beg. of every row until 24 sts. remain. Cast off.

**LEFT FRONT:** Cast on 44 sts. **1st row.**—K. 2, (p. 1, k. 2) 11 times, p. 1, k. 3, p. 1, k. 4. **2nd row.**—K. 5, p. 3, k. 1, p. 35. **3rd row.**—K. 2, (p. 1, k. 2) 11 times, p. 1, w.r.n., sl. 1, k. 2 tog., p.s.s.o., w.r.n., p. 1, k. 4. **4th row.**—As 2nd. These 4 rows form patt. Continue in patt. until work measures 7 ins., ending at side.

**Raglan Shaping:** Dec. 1 st. at beg. of next and every alternate row until 23 sts. remain.

**Neck Shaping:** (wrong side). Cast off 9 sts. at beg. of next row, then dec. 1 st. at beg. of next 13 rows. Fasten off.

**RIGHT FRONT:** As left, reversing shapings and patt.

**SLEEVES:** Cast on 36 sts. K. 5 rows. **Next row.**—K. 4, (inc. in next st., k. 3) to end. (44 sts.). Continue in patt. as back, inc. 1 st. each end of every 6th row until there are 62 sts. Continue until work measures 8½ ins. Shape raglan as back until 6 sts. remain. Cast off.

**HOOD:** Cast on 104 sts. Work 6 ins. in patt. as back. Cast off 6 sts. at beg. of next 12 rows. Cast off.

**HOOD BORDER:** Cast on 10 sts. **1st row.**—K. 4, p. 1, k. 3, p. 2. **2nd row.**—K. 2, p. 3, k. 5. **3rd row.**—K. 4, p. 1, w.r.n., sl. 1, k. 2 tog., p.s.s.o., w.r.n., p. 2. **4th row.**—As 2nd. Rep. these 4 rows 33 times. Cast off.

**MAKING UP:** Press work. Join raglan, side and sleeve seams. Sew hood border along cast-on edge of hood. Fold hood in half and join cast-off edges tog. Sew hood to neck edge, gathering to fit at back. Sew press-stud to neck edge. Press seams lightly.

In warmer weather, hood can be folded back on shoulders to form a smart collar



Simple ribbed stitch with lacy panels. Jacket fastens with a press stud at neck





Trim and smart for  
a 6 to 10 year old.  
Simple to make  
in stocking stitch

# Sailor Girl Jumper

**MATERIALS:** 4 (5 : 5) oz. Patons  
Beehive, 3-ply; small ball each 2 contrasting  
shades; two No. 11 knitting needles.

**Measurements:** To fit a 24 (26 : 28) in.  
chest; length, 13½ (14½ : 15½) ins.

**Tension:** 8 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** Cast on 104 (112 : 120) sts. Work  
8 rows in k. 1 t.b.l., p. 1 rib \*. Continue in  
st.st. until work measures 9½ (10 : 10½) ins.  
Inc. 1 st. each end of next 6 rows. Continue  
until work measures 13½ (14½ : 15½) ins.

**Shoulder Shaping:** Cast off 15 (16 : 17)  
sts. at beg. of next 6 rows. Cast off.

**FRONT:** As back to \*. Continue in  
st.st. until work measures 6 (6½ : 7) ins.,  
ending k.

**Front Shaping:** Next row.—P. 46 (50 : 54),  
k. 12, p. to end. K. 1 row. Next row.—  
P. 46 (50 : 54), k. 6, turn. Work on these  
sts. only. Next row.—K. 6, k. 2 tog., k. to  
end. Continue thus in st.st. with front  
border in g.st. and dec. on every 4th row  
until work measures 9½ (10 : 10½) ins. Still  
dec. inside front border on every 4th row  
until 45 (48 : 51) sts. remain, inc. 1 st. at side  
edge on next 6 rows. Continue until work  
measures 13½ (14½ : 15½) ins., ending k.

**Shoulder Shaping:** Cast off 15 (16 : 17)  
sts. at beg. of next and following 2 alternate  
rows. Complete other side of neck to match.

**COLLAR:** Cast on 70 (76 : 82) sts. K. 11  
rows. Next row.—K. 6, p. 58 (64 : 70),  
k. 6. K. 1 row. Rep. last 2 rows until work



Small squares are embroidered on  
afterwards in two contrasting colours

measures 4 ins., ending k. Next row.—  
K. 6, p. 16 (18 : 20), cast off 26 (28 : 30),  
p. 16, (18 : 20), k. 6. Work 2½ (3 : 3½) ins.  
on last sts., ending k. K. 8 rows. Cast off  
knitwise. Work other side to match.

**FRONT INSET:** Cast on 4 (6 : 8) sts.  
Work in st.st., inc. 1 st. each end of 3rd and  
every 4th row until there are 30 (32 : 34) sts.  
K. 8 rows. Cast off knitwise.

**SLEEVE BANDS:** Join shoulders. With  
right side facing, pick up and k. 66 (74 : 82)  
sts. along straight edge on sleeve. K. 8 rows.  
Cast off knitwise.

**MAKING UP:** Press work. Join side and  
sleeve band seams. Sew on collar, beg. and  
ending 3¼ (3¾ : 4¼) ins. from shoulder. Sew  
front inset behind front border as shown.  
Alternating the 2 contrasting shades, work  
small squares of 2 chain sts., working 4 rows  
and 2 sts. apart on garter st. borders as shown.



*Comfy Dry Baby Pant*

# Diamond-Patterned Cardigan

Casual button-up with an easily-worked pattern

**MATERIALS:** 15 oz. Patons Beehive 4-ply; two each Nos. 10 and 12 knitting needles; 9 buttons

**Measurements:** To fit up to a 37-in. bust: length, 22 ins.; sleeve, 18 ins.

**Tension:** 7 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 12 needles cast on 144 sts. Work 1 in. in k. 1, p. 1 rib. Change to No. 10 needles and patt. thus: **1st row.**—(K. 8, k. 2nd st. on left hand needle, then k. 1st st., slipping both off tog.—referred to as t. 2 r., k. 4) to last 4 sts., k. 4. **2nd row and every alternate row.**—P., slipping twisted sts. **3rd row.**—(K. 7, t. 2 r., k. 2nd st. on left hand needle behind 1st st., then k. 1st st., slipping both off tog.—referred to as t. 2 l., k. 3) to last 4 sts., k. 4. **5th row.**—(K. 6, t. 2 r., k. 2, t. 2 l., k. 2) to last 4 sts., k. 4. **7th row.**—(K. 5, t. 2 r., k. 4, t. 2 l., k. 1) to last 4 sts., k. 4. **9th row.**—K. 4, (t. 2 r., k. 6, t. 2 l., k. 4) to end. **11th row.**—K. 3, (t. 2 r., k. 8, t. 2 l., k. 2) to last st., k. 1.

**13th row.**—K. 2, (t. 2 r., k. 10, t. 2 l.) to last 2 sts., k. 2. **15th row.**—K. 1, (t. 2 r., k. 12) to last 3 sts., t. 2 r., k. 1. **16th row.**—As 2nd. Now work from 13th back to 2nd row, working t. 2 l. for t. 2 r. and vice versa. These 28 rows form patt. Continue in patt. until work measures 13 ins.

**Armhole Shaping:** Cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. at beg. of next 10 rows. (122 sts.) Continue until work measures 22 ins.

**Shoulder Shaping:** Cast off 8 sts. at beg. of next 10 rows. Cast off.

**LEFT FRONT:** With No. 12 needles cast on 74 sts. Work 1 in. in k. 1, p. 1 rib. Change to No. 10 needles. Patt. as back until work measures 13 ins., ending p.

**Armhole Shaping:** Cast off 6 sts. at beg. of next row. Dec. 1 st. at armhole edge on every alternate row until 58 sts. remain. Continue until work measures 19 ins. ending at front.

**Neck Shaping:** Cast off 7 sts. at beg. of next and following alternate row, then dec. 1 st. at neck edge on every row until 40 sts. remain. Continue straight until work measures 22 ins., ending at side.

**Shoulder Shaping:** Cast off 8 sts. at beg. of next and following 4 alternate rows.

**RIGHT FRONT:** As left front, reversing shapings.

**SLEEVES:** With No. 12 needles cast on 60 sts. Work 3 ins. in k. 1, p. 1 rib. Change to No. 10 needles. Patt. as back, inc. 1 st. each end of every 6th row until there are 102 sts. Continue until sleeve measures 18 ins. To shape top cast off 6 sts. at beg. of next 2 rows. Dec. 1 st. at beg. of every row until 40 sts. remain. Cast off 3 sts. at beg. of next 6 rows. Cast off.

**FRONT BANDS:** With No. 12 needles cast on 16 sts. Work  $\frac{1}{2}$  in. in k. 1, p. 1 rib. **Next row.**—(Make buttonhole). Rib 6, cast off 4, rib 6. **Next row.**—Rib 6, cast on 4, rib 6. Continue in rib, making 7 more buttonholes  $2\frac{1}{2}$  ins. apart. Work 1 in. Leave sts. on a spare needle. Work left front band to match, omitting buttonholes.

**NECKBAND:** Join shoulders. With No. 12 needles rib across sts. of right front band, pick up and k. 100 sts. around neck, rib across sts. of left front band. Work  $1\frac{1}{4}$  ins. in k. 1, p. 1 rib, making 9th buttonhole 2 ins. from 8th. Cast off ribwise.

**MAKING UP:** Press work. Set in sleeves. Join side and sleeve seams. Sew on front bands. Sew on buttons. Press all seams.

Neckband and front bands, cuffs and welts are knitted in single rib





# Short-Sleeved and Simple

Short and sweet,  
lovely for a slim  
young daughter

Up



Simple diamond design  
on a plain background  
of reversed stocking stitch

**MATERIALS:** 6 (7 : 8) oz. Patons Beehive 4-ply; two each Nos. 11 and 9 knitting needles; set of four No. 11 needles.  
**Measurements:** To fit a 31 (34 : 37) in. bust; length, 18½ (19 : 19½) ins.  
**Tension:** 5 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 11 needles cast on 79 (87 : 95) sts. Work 2½ ins. in k. 1, p. 1 rib, beg. 2nd row p. 1. Change to No. 9 needles. Work 5 rows reversed st.st. (beg. p.). **6th row.**—K. 3, (drop next st. down 5 rows, then with right-hand needle k. this st. picking up 5 loops at same time—referred to as “k. 5 rows below”, k. 3) to end. Work 5 rows reversed st.st. (beg. p.). **12th row.**—K. 1, k. 5 rows below, k. 1, (k. 2, k. 5 rows below, k. 1) to end. These 12 rows form patt. \*. Continue in patt. until work measures 11 (11½ : 12) ins. Inc. 1 st. each end of next 12 rows. 103 (111 : 119) sts. Continue in patt. until work measures 18½ (19 : 19½) ins., ending with a 6th or 12th patt. row.

**Shoulder Shaping:** Cast off 12 (13 : 14) sts. at beg. of next 6 rows. Cast off.

**FRONT:** As back to \*. Continue in patt. until work measures 9 (9½ : 10) ins.

**Neck Shaping:** **Next row.**—Patt. 38 (42 : 46), k. 2 tog., turn. Work on these sts. only, dec. 1 st. at neck edge on every 3rd row

until work measures 11 (11½ : 12) ins. Still dec. at neck edge on every 3rd row, inc. 1 st. at side edge on next 12 rows. Dec. at neck edge as before until 36 (39 : 42) sts. remain. Continue until work measures 18½ (19 : 19½) ins., ending with a 6th or 12th patt. row.


**Shoulder Shaping:** Cast off 12 (13 : 14) sts. at beg. of next and following 2 alternate rows. Complete other side of neck to match.

**NECKBAND AND COLLAR:** Join shoulders. With right side facing and using set of four No. 11 needles, pick up and k. 80 sts. down left side of neck and 1 st. at centre front on 1st needle, 80 sts. up right side of neck on 2nd needle and 35 sts. across back neck on 3rd needle. Work 1 round in k. 1, p. 1 rib. **Next round.**—1st needle: Rib to last 3 sts., p. 2 tog., k. 1. 2nd needle: P. 2 tog., rib to end. 3rd needle: Rib to end. Rep. last round 9 times. **Next round.**—Rib 40, cast off 61 ribwise, rib to end. **Next row.**—Rib 40, turn. Change to No. 9 needles and rib 10 rows, working backwards and forwards across all sts. Cast off ribwise.

**SLEEVE BANDS:** With right side facing and using No. 11 needles, pick up and k. 60 sts. along straight edge on sleeve. Work 11 rows in k. 1, p. 1 rib. Cast off ribwise.

**MAKING UP:** Press lightly on wrong side. Join both side and sleeve band seam.





## Cabled for HER

Two smart cardigans in crepe with a sporty twist—the husky, outer



Panels of twisted stitches and cables form the pattern. Instructions are in three sizes. Front bands and collar are in garter stitch

**MATERIALS:** 13 (15 : 17) oz. Patons Beehive 4-ply; two each Nos. 12 and 11 knitting needles; cable needle; 7 buttons.

**Measurements:** To fit a 32 (36 : 40) in. bust; length, 20 ins.; sleeve, 18 ins.

**Tension:** 8 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 12 needles cast on 138 (149 : 160) sts. Work 1½ ins. in k. 1, p. 1 rib, beg. 2nd row p. 1 for 2nd size. \* Change to No. 11 needles and patt. thus: **1st row.**—P. 1, k. 2nd st. then k. 1st st., sl. both sts. off needle tog.—referred to as “t. 2 r.”, t. 2 r.; p. 1, (k. 2, sl. next st. on to cable needle and leave at front of work, k. 2, then k. 1 from cable needle, p. 1, t. 2 r., t. 2 r., p. 1) to end. **2nd row.**—K. 1, p. 4, k. 1, (p. 5, k. 1, p. 4, k. 1) to end. **3rd row.**—P. 1, pull out 2nd st. to back of work and k., then k. 1st st., sl. both sts. off needle tog.—referred to as “t. 2 l.”, t. 2 l., p. 1, (sl. next 2 sts. on to cable needle and leave at back of work, k. 1, then k. 2 from cable needle, k. 2, p. 1, t. 2 l., t. 2 l., p. 1) to end. **4th row.**—As 2nd. These 4 rows form patt. Continue in patt. until work measures 13 ins. \*

**Armhole Shaping:** Cast off 6 (8 : 10) sts. at beg. of next 2 rows. Dec. 1 st. each end of next 14 rows. 98 (105 : 112) sts. Continue until work measures 20 ins.

**Shoulder Shaping:** Cast off 10 (11 : 12) sts. at beg. of next 6 rows. Cast off.

**RIGHT FRONT:** With No. 12 needles cast on 61 (72 : 83) sts. Work 1½ ins. in k. 1, p. 1 rib, beg. 2nd row p. 1 for 1st and 3rd sizes. Now work from \* to \* as back, ending

at side edge with a right side row.

**Armhole and Front Shaping:** Cast off 6 (8 : 10) sts. at beg. of next row. Dec. 1 st. at armhole edge on next 14 rows, *at same time* dec. 1 st. at front edge on next and every 6th (4th : 3rd) row until 30 (33 : 36) sts. remain. Continue until work measures 20 ins., ending at side.

**Shoulder Shaping:** Cast off 10 (11 : 12) sts. at beg. of next, then next 2 alternate rows.

**LEFT FRONT:** As right front, reversing all shapings.

**SLEEVES:** With No. 12 needles cast on 60 sts. Work 3 ins. in k. 1, p. 1 rib. **Next row.**—(Rib 2, inc. in next st., rib 2) to end. (72 sts.). Change to No. 11 needles. Continue in patt. as back, inc. 1 st. each end of every 6th row until there are 112 (116 : 120) sts. Continue until work measures 18 ins. To shape top, cast off 6 (8 : 10) sts. at beg. of next 2 rows. Dec. 1 st. at beg. of every row until 54 sts. remain. Cast off 4 sts. at beg. of next 6 rows. Cast off.

**FRONT BANDS AND COLLAR:** With No. 12 needles cast on 20 sts. K. 14 rows. **Next row.**—K. 8, cast off 5, k. 7. **Next row.**—K. 7, cast on 5, k. 8. K. 28 rows. Rep. last 30 rows 5 times, then 2 buttonhole rows again. Continue in g.st., inc. 1 st. each end of every 8th row until there are 46 sts. Work 4 ins. in g.st. Cast off. Weave left side to match, omitting buttonholes.

**MAKING UP:** Press work. Join shoulders. Set in sleeves. Join side and sleeve seams. Sew on front bands and collar, but do not join cast-off edges. Sew on the buttons.



# Tailored for HIM

igans in warm  
pecial accent on  
of doors look



Fisherman rib with  
stocking-stitch front  
band and pocket  
tops. Extensions to  
sleeve tops form  
an easy-fitting  
saddle shoulder line



**MATERIALS:** 29 (30 : 30 : 31) oz.  
Patons Totem Double Knitting; two each  
Nos. 10 and 12 knitting needles; 4 buttons.  
**Measurements:** To fit a 38 (40 : 42 : 44)  
in. chest; length, 24½ ins.; sleeve, 19 ins.  
**Tension:** 6 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 12 needles cast on 132  
(138 : 144 : 150) sts. Work 14 rows in k. 1,  
p. 1 rib. Change to No. 10 needles and patt.  
thus: **1st row.**—K. 2, (p. 1, k. 1) to end.  
**2nd row.**—K. 1, (k. through centre of st. on  
row below next st., sl.st. above off needle at  
same time, p. 1) to last st., k. 1. These 2  
rows form patt. \*. Continue in patt. until  
work measures 17 ins.

**Armhole Shaping:** Cast off 12 sts. at beg.  
of next 2 rows. Dec. 1 st. each end of next  
6 rows. 96 (102 : 108 : 114) sts. Continue  
until work measures 23 ins.

**Shoulder Shaping:** Cast off 3 sts. at beg.  
of next 14 rows. Cast off 3 (4 : 5 : 6) sts. at  
beg. of next 6 rows. Cast off.

**POCKET LININGS: (2):** With No. 12  
needles cast on 28 (32 : 36 : 40) sts. Work  
3½ ins. st.st., ending p. Leave sts. on spare  
needle.

**LEFT FRONT:** With No. 12 needles  
cast on 64 (68 : 72 : 76) sts. Work as back  
to \*. Continue in patt. until work measures  
4½ ins., ending with a 2nd row. **Pocket  
Opening row.**—Patt. 18, sl. next 28 (32 :  
36 : 40) sts. on to a st. holder, patt. across  
pocket lining sts., patt. to end. Continue  
until work measures 14 ins.

**Front Shaping:** Dec. 1 st. at front edge on

next and every 6th row until work measures  
17 ins., ending with a 2nd row.

**Armhole Shaping:** Still dec. at front edge  
on every 6th row until 30 (33 : 36 : 39) sts.  
remain, cast off 12 sts. at beg. of next row,  
then dec. 1 st. at armhole edge on next 6  
rows. Continue until work measures 23 ins.,  
ending at side.

**Shoulder Shaping:** Cast off 3 sts. at beg.  
of next and following 6 alternate rows, then  
cast off 3 (4 : 5 : 6) sts. at beg. of next 3  
alternate rows.

**RIGHT FRONT:** As left, reversing  
shapings.

**SLEEVES:** With No. 12 needles cast on  
64 sts. Work 2½ ins. in k. 1, p. 1 rib.  
Change to No. 10 needles. Patt. as back, inc.  
1 st. each end of every 8th row until there  
are 98 sts. Continue until work measures  
19 ins. To shape top cast off 6 sts. at beg. of  
next 2 rows. Dec. 1 st. at beg. of every row  
until 36 sts. remain. Dec. 1 st. each end of  
next 8 rows. Work 5 (5½ : 6 : 6½) ins.  
straight. Cast off.

**FRONT BAND:** With No. 12 needles  
cast on 21 sts. **1st row.**—K. 10, sl. 1 purl-  
wise, k. 10. P. 1 row. Rep. last 2 rows 5  
times. **Next row.**—(make buttonhole) K. 3,  
cast off 3, k. 4, sl. 1 purlwise, k. 4, cast off 3,  
k. 3. **Next row.**—P. 3, cast on 3, p. 9, cast  
on 3, p. 3. Continue in st.st. with sl.st.,  
making 3 more buttonholes as before 4 ins.  
apart. Continue in st.st. with sl.st. until  
band measures 62 ins. from beg. Cast off.

*continued on page sixteen*



# Little Girl's Cardigan

This useful small-fry cardigan is worked entirely in stocking-stitch

**MATERIALS:** Patons Beehive 2-ply: 3 (3 : 4) oz. main colour, 1 oz. contrast; two No. 14 knitting needles; 5 buttons.

**Measurements:** To fit a 22 (24 : 26) in. chest; length, 10½ (12 : 13½) ins.; sleeve, 7½ (9 : 10½) ins.

**Tension:** 11 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With M.C. cast on 123 (134 : 145) sts. Work 13 rows st.st. (beg. k.). K. 1 row for hemline \*. Continue in st.st. (beg. k.) until work measures 6 (7 : 8) ins. from hemline.

**Armhole Shaping:** Cast off 5 (6 : 7) sts. at beg. of next 2 rows. Dec. 1 st. at beg. of next 16 rows. 97 (106 : 115) sts. Continue until work measures 10½ (12 : 13½) ins. from hemline.

**Shoulder Shaping:** Cast off 9 (10 : 11) sts. at beg. of next 6 rows. Cast off.

**POCKET LINING:** With M.C. cast on 34 sts. Work 2 (2½ : 3) ins. st.st., ending p. Leave sts. on spare needle.

**RIGHT FRONT:** With M.C. cast on 60 (66 : 72) sts. Work as back to \*. Continue in st.st. (beg. k.) until work measures 2¾ (3¼ : 3¾) ins. from hemline, ending p. **Pocket Opening row.**—K. 18, sl. next 34 sts. on to st. holder, k. 34 sts. from spare needle, k. to end. Continue in st.st. until work measures 6 (7 : 8) ins. from hemline, ending k.

**Armhole and Front Shaping:** Cast off 5 (6 : 7) sts. at beg. of next row. Dec. 1 st. at armhole edge on next 8 alternate rows, *at same time* dec. 1 st. at front edge on next and every 3rd row until 27 (30 : 33) sts. remain. Continue until work measures 10½ (12 : 13½) ins. from hemline, ending k.

**Shoulder Shaping:** Cast off 9 (10 : 11) sts. at beg. of next and following 2 alternate rows.

**LEFT FRONT:** As right, reversing shapings and omitting pocket.

**SLEEVES:** With M.C. cast on 70 (76 : 82) sts. Work as back to \*. Continue in st.st. (beg. k.) inc. 1 st. each end of 13th and every 8th row until there are 92 (98 : 104) sts. Continue until work measures 7½ (9 : 10½) ins. from hemline. To shape top, cast off 5 (6 : 7) sts. at beg. of next 2 rows. Dec. 1 st. at beg. of every row until 50 sts. remain. Dec. 1 st. each end of next 10 rows. Cast off.

**FRONT BAND:** Join shoulders. Beg. at hemline on right front and using C., pick up and k. 68 (80 : 92) sts. up straight edge on front, 54 (60 : 66) sts. to shoulder, 40 (42 : 44) sts. across back neck, 54 (60 : 66) sts. down shaped edge of left front and 68 (80 : 92) sts. to hemline. 284 (322 : 360) sts. \*\* Work 5 rows st.st. (beg. p.). **Next row.**—K. 4, cast off 4, \* k. 12 (15 : 18), cast off 4; rep. from \* 3 times more, k. to end. **Next row.**—P., casting on 4 sts. over those cast off. Work 6 rows st.st. \*\*. **Picot row.**—K. 1, (w.fd., k. 2 tog.) to last st., k. 1. Rep. from \*\* to \*\*. Cast off.

**POCKET TOPS:** With right side facing and using C. work 6 rows st.st. (beg. k.). Rep. picot row as front band. Work 5 rows st.st. (beg. p.). Cast off.

**MAKING UP:** Press work. Set in sleeves. Join side and sleeve seams. Fold in and sew down hems at lower and sleeve edges. Fold front bands and pocket tops in half at picot row and sew down. Sew down pocket linings. Buttonhole st. round buttonholes. Sew on buttons. Press seams.



Dainty and extra-special are the neat picot edges on front bands and pocket tops





Simple lattice-stitch with honeycomb effect, garter stitch borders

## Button-up for a Baby

First-size cardigan in soft 3-ply baby wool

**MATERIALS:** 2 oz. Patons Beehive Baby Wool 3-ply; two No. 9 knitting needles; 4 buttons:

**Measurements:** To fit up to an 18 in. chest; length, 8½ ins.; sleeve, 6 ins.

**Tension:** 7 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** Cast on 63 sts. K. 6 rows. Now patt. thus: **1st row.**—K. 1, (sl. 1, k. 2, p.s.s.o. last 2 sts., w.fd.) to last 2 sts., k. 2. P. 1 row. **3rd row.**—K. 2, (w.fd., sl. 1, k. 2, p.s.s.o. last 2 sts.) to last st., k. 1. P. 1 row. These 4 rows form patt. Continue until work measures 8½ ins. Cast off 21 sts. at beg. of next 2 rows. Cast off.

**RIGHT FRONT:** Cast on 39 sts. K. 6 rows. **Next row.**—K. 9, patt. to end as 1st patt. row of back. Work 9 rows in patt. with 9 sts. in g.st. at front edge. **Next row.**—(make buttonhole). K. 4, w.fd., k. 2 tog., k. 3, patt. to end. Continue in patt. with g.st. border, making 2 more buttonholes 1½ ins. apart (measure from base of last buttonhole)

until work measures 6½ ins., ending at front. **Neck Shaping: Next row.**—K. 15, sl. these 15 sts. on to a safety pin, patt. to end. Dec. 1 st. at neck edge on next 3 alternate rows. Continue until work measures 8½ ins. Cast off.

**LEFT FRONT:** As right, reversing shapings and omitting buttonholes.

**SLEEVES:** Cast on 33 sts. K. 6 rows. Work in patt. as back, inc. 1 st. each end of every 4th row until there are 47 sts. Continue until work measures 6 ins. Cast off 3 sts. at beg. of next 8 rows. Cast off.

**NECKBAND:** Join shoulders. With right side facing, sl. 15 sts. at right front edge on to needle, pick up and k. 34 sts. round neck, k. 15 sts. at left front edge. K. 4 rows, making 4th buttonhole as before on 2nd row. Cast off knitwise.

**MAKING UP:** Press work. Join top of sleeves to sides of back and fronts, beg. and ending 3½ ins. from shoulder seam. Join sides and sleeves. Sew on buttons. Press seams.



# Gay for a Girl

Unusual sweater with broken-line design embroidered in chain stitch

**MATERIALS:** Patons Beehive 4-ply: 15 (16 : 17) oz. main colour, 2 oz. contrast; two No. 12 knitting needles; set each of four Nos. 11 and 13 needles.

**Measurements:** To fit a 34 (36 : 38) in. bust; length, 21½ ins.; sleeve, 17½ ins.

**Tension:** 8 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 12 needles and M.C. cast on 128 (136 : 144) sts. \* Work 7 rows st.st. (beg. k.). With C. work 2 rows st.st., k. 1 row for hemline, then work 2 rows st.st. (beg. k.). Break off C. \*. Continue in st.st. in M.C. for 7 ins. Continue, inc. 1 st. each end of next and every 6th row until there are 144 (152 : 160) sts. Continue until work measures 13½ ins. from hemline.

**Armhole Shaping:** Cast off 4 (5 : 6) sts. at beg. of next 2 rows, then dec. 1 st. each end of next 8 rows. 120 (126 : 132) sts. \*\*. Continue until work measures 21½ ins. from the hemline.

**Shoulder Shaping:** Cast off 5 sts. at beg. of next 6 rows, then cast off 6 (7 : 8) sts. at beg. of next 6 rows. Cast off.

**FRONT:** As back to \*\*. Continue until work measures 19 ins. from hemline, ending p.

**Neck Shaping:** K. 53 (56 : 59), cast off 14, k. to end. Work on last set of sts., casting off 3 sts. at neck at beg. of next 4 alternate rows, then dec. 1 st. at neck on every alternate row until 33 (36 : 39) sts. remain. Continue until work measures 21½ ins. from hemline, ending k.

**Shoulder Shaping:** Cast off 5 sts. at beg. of next and following 2 alternate rows, then cast off 6 (7 : 8) sts. at beg. of next 3 alternate rows. Complete other side of neck to match.

**SLEEVES:** With No. 12 needles and M.C. cast on 64 (66 : 68) sts. Work as back from \* to \*. Continue in st.st. in M.C. inc. 1 st. each end of 9th and every 6th row until there are 108 (110 : 112) sts. Continue until work measures 17½ ins. from hemline. To shape top cast off 4 (5 : 6) sts. at beg. of next 2 rows, then dec. 1 st. at beg. of every row until 50 sts. remain. Dec. 1 st. each end of next 12 rows. Cast off.

**COLLAR:** Join both shoulders. With right side facing and using set of four No. 11 needles and C., beg. at left shoulder and pick up and k. 60 sts. to centre front of neck on 1st needle; 60 sts. to right shoulder on 2nd needle and 60 sts. across back neck on 3rd needle. Work 1 in. in rounds of k. 1,

p. 1 rib. Change to set of No. 13 needles and work 1 in. in rib. Change to No. 11 needles and work 1 in. in rib. **Next round.** —Rib 40, cast off 40 ribwise, rib to end. Work backwards and forwards on two No. 11 needles in rib for 2 ins. Cast off loosely ribwise.

**MAKING UP:** Press work. With two strands of C., beg. at centre of front above hemline and work a line of chain st. up centre front for 13½ ins. Leave a gap of 2½ ins. then continue on same line to centre front of neck. Make another line in same way 4¾ ins. to left of centre line for 15 ins. above hemline. Leave a 2½ in. gap then continue on same line to shoulder. Make another line 4¾ ins. to right of centre line for 12 ins. above hemline. Leave a 2½ in. gap, then continue on same line to shoulder. Work 3 diagonal lines, 5½ ins. long, across gaps as shown. Set in sleeves. Join side and sleeve seams. Fold hems at lower and sleeve edges on to wrong side and hem.



This unusual, news-worthy collar is quite simply knitted on four needles



# Boat-Necked Shortie

Gay short cardigan—  
just right to wear  
with a summer skirt



Entirely in stocking-stitch,  
cardigan has borders worked  
on the bias to give firm edges

**MATERIALS:** 8 (9 : 9) oz. Patons Beehive 4-ply; two No. 10 knitting needles; 6 buttons.

**Measurements:** To fit a 34 (36 : 38) in. bust; length, 15 ins.; sleeve, 13 ins.

**Tension:** 7 sts. to 1 in.

**Abbreviations:** See page three.

**BACK:** Cast on 84 (92 : 100) sts. Work 8 rows st.st. (beg. k.). **Next row.**—Inc. in 1st st., k. 25 (29 : 33), m. 1, k. 1, m. 1, k. 30, m. 1, k. 1, m. 1, k. 25 (29 : 33), inc. in last st. Work 7 rows st.st. (beg. p.). **Next row.**—Inc., k. 27 (31 : 35), m. 1, k. 1, m. 1, k. 32, m. 1, k. 1, m. 1, k. 27 (31 : 35), inc. Inc. thus on every 8th row until there are 108 (116 : 124) sts. Now inc. only at each end of every 8th row until there are 116 (124 : 132) sts. Continue until work measures 8 ins. To shape sleeve inc. 1 st. each end of next 8 rows. Cast on 10 sts. at beg. of next 14 rows. 272 (280 : 288) sts. Continue until work measures 14 ins.

**Top sleeve and Shoulder Shaping:** Cast off 12 sts. at beg. of next 12 rows. Cast off 11 (12 : 13) sts. at beg. of next 8 rows. Cast off.

**RIGHT FRONT:** Cast on 46 (50 : 54) sts. Work 4 rows st.st. (beg. k.). **Next row** (make buttonhole).—K. 3, cast off 3, k. to end. **Next row.**—P. to last 3 sts., cast on 3, p. 3. Work 2 rows. **Next row.**—K. 19, m. 1, k. 1, m. 1, k. 25 (29 : 33), inc. Work 7 rows st.st. **Next row.**—K. 20, m. 1, k. 1, m. 1, k. 27 (31 : 35), inc. Inc.

thus on every 8th row until there are 58 (62 : 66) sts., making 2nd buttonhole 2 ins. from 1st. Making buttonholes as before 2 ins. apart until there are 6 in all, inc. at side edge only on every 8th row until there are 62 (66 : 70) sts. Continue until work measures 8 ins., ending p. To shape sleeve, inc. 1 st. at side edge on next 8 rows. Cast on 10 sts. at beg. of next 7 alternate rows. 140 (144 : 148) sts. Continue until work measures 11 ins., ending p. (6 buttonholes now completed).

**Neck Shaping:** Cast off 14 sts. at beg. of next row. Dec. 1 st. at neck edge on next 4 rows, then dec. at same edge on next 6 alternate rows. 116 (120 : 124) sts. Continue until work measures 14 ins., ending k. **Top Sleeve and Shoulder Shaping:** Cast off 12 sts. at beg. of next and following 5 alternate rows, then cast off 11 (12 : 13) sts. at beg. of next 4 alternate rows.

**LEFT FRONT:** As right, reversing shapings and omitting buttonholes.

**BORDERS:** Cast on 6 sts. **1st row.**—Inc., k. 3, k. 2 tog. P. 1 row. Rep. these 2 rows until band measures 66 (68 : 70) ins. Cast off. Work 2 more bands to match for cuffs, 8 ins. long.

**MAKING UP:** Press work. Join top sleeve and shoulder seams. Join side and under sleeve seams. Sew border all round cardigan edge, beg. and ending at one side seam. Sew on cuffs. Fold all borders in half and hem on wrong side. Sew on buttons.





In girl's version, band of stocking stitch with pompon each end is sewn to back neck, tied in front

## Ribbed Jumper for Boy or Girl

**In single rib, the back and front are knitted alike. Sleeves are set in**

**MATERIALS:** 11 (11 : 12) oz. Patons Beehive 3-ply; ball of contrasting shade for pompons for girl's sweater; two No. 13 knitting needles.

**Measurements:** To fit a 32 (34 : 36) in. bust or chest; length, 19½ ins.; sleeve, 17 ins.

**Tension:** 9 sts. to 1 in.

**Abbreviations:** See page three.

**BACK AND FRONT ALIKE:** Cast on 136 (144 : 154) sts. Work 6 ins. in k. 1, p. 1 rib. Continue in rib, inc. 1 st. each end of next and every 6th row until there are 154 (162 : 172) sts. Continue until work measures 12 ins.

**Armhole Shaping:** Cast off 6 (7 : 9) sts. at beg. of next 2 rows, then dec. 1 st. each end of next 10 rows. 122 (128 : 134) sts. Continue until the work measures 19½ ins.

**Shoulder Shaping:** Cast off 7 (8 : 9) sts. at beg. of next 6 rows. Cast off ribwise.

**SLEEVES:** Cast on 70 (72 : 76) sts. Work 3 ins. in k. 1, p. 1 rib. Continue in rib, inc. 1 st. each end of next and every 5th row until there are 120 (122 : 126) sts. Continue until work measures 17 ins. To shape top cast off 6 (7 : 9) sts. at beg. of next 2 rows, then dec. 1 st. at beg. of every row until 40 sts. remain. Cast off.

**BAND:** Cast on 350 sts. Work 11 rows in st.st. (beg. k.). K. 1 row for hemline. Work 11 rows st.st. (beg. k.). Cast off.

**MAKING UP:** Press band only. Join shoulder seams. Set in sleeves. Join side and sleeve seams. Fold band in half at hemline and join cast-on and cast-off edges. Sew centre of band across back neck. Using contrasting wool and remainder of main colour, make two pompons 2½ ins. in diameter and sew one of these to each end of the band as shown in the picture.



# Fringed for Fun

Specially suitable for making on a knitting machine

**MATERIALS:** Patons Beehive 3-ply: 6 (6 : 7) oz. main colour, 3 oz. contrast; two No. 11 knitting needles; 6 buttons; crochet hook.

**Measurements:** To fit a 30 (32 : 34) in. bust or chest; length, 18 (18½ : 19) ins.; sleeve, 11½ ins.

**Tension:** 8 sts. and 11 rows to 1 in.

**Abbreviations:** See page three.

**BACK:** With C. cast on 112 (120 : 128) sts. \* Work 5½ ins. in st.st. ending p. Join M.C. Continue in st.st. working (4 rows M.C., 4 rows C.) 4 times. Break off C. \*. Continue in M.C., inc. 1 st. each end of next and every 6th row until there are 128 (136 : 144) sts. Continue until work measures 14½ ins.

**Raglan Shaping:** Cast off 8 sts. at beg. of next 2 rows, then dec. 1 st. at beg. of every row until 36 (38 : 40) sts. remain. Cast off.

**RIGHT FRONT:** Cast on 56 (60 : 64) sts. Work as back from \* to \*. Continue in M.C., inc. 1 st. at end of next and every 6th row until there are 64 (68 : 72) sts. Continue until work measures 14½ ins., ending k.

**Raglan Shaping:** Cast off 8 sts. at beg. of next row, then dec. 1 st. at side edge on next 2 (3 : 4) alternate rows. 54 (57 : 60) sts.

**Front Shaping:** Shaping raglan as before, dec. 1 st. at front edge on next and every 4th row until all sts. are worked off.

**LEFT FRONT:** As right front, reversing shapings.

**SLEEVES:** With C. cast on 60 (66 : 72) sts. Work 3 ins. in st.st. Break off C. and join M.C. Continue in st.st., inc. 1 st. each end of every 4th row until there are 108 (116 : 124) sts. Continue until work measures 13 ins. Shape raglan as back until 16 sts. remain. Cast off.

**COLLAR:** With M.C. cast on 160 sts. Working in st.st., work (4 rows M.C., 4 rows C.) 5 times. Work 28 rows more in C. Break off C. Work 36 rows in M.C. Cast off.

**RIGHT FRONT BAND:** With right side facing and using C., pick up and k. 100 sts. up straight edge of right front, beg. 2¾ ins. from lower edge and ending at beg. of front shaping. Work 7 rows st.st. (beg. p.). **Next row** (make buttonholes).—K. 4, cast off 2, (k. 16, cast off 2) 5 times, k. 4. **Next row.**—P. 4, cast on 2, (p. 16, cast on 2) 5 times, p. 4. Work 16 rows st.st. Repeat the two buttonhole rows again. Work 7 rows more in st.st. Cast off loosely.

**LEFT FRONT BAND:** As right front band, omitting buttonholes and beg. picked up sts. at beg. of front shaping.

**MAKING UP:** Press work. Join raglan, side and sleeve seams. Fold in and sew down 2¾ ins. at lower edge and 1½ ins. at sleeve edge. Fold front bands in half to wrong side, join upper and lower edges and sew down side edges. Sew cast-on edge of collar to neck, join side edges then turn on to right side and sew down cast-off edge. Cut M.C. and C. into 3 in. lengths for fringe. Using crochet hook, knot groups of 7 strands through edges of collar. Button-hole st. round buttonholes. Press all seams.



Collar is doubled, and fringing knotted through edge with crochet hook later





# Jacket in Thick-knit

Let the wind blow—snug in this smart jacket you won't care!

Main stitch is fisherman rib. Collar and front bands in single rib, are worked separately and sewn on when making up

**MATERIALS:** 25 (26 : 27) oz. Patons Double-Quick Knitting; two each Nos. 8, 10 and 11 knitting needles; 7 buttons.

**Measurements:** To fit a 34 (36 : 38) in. bust; length, 23 (23½ : 24) ins.; sleeve, 18 ins.

**Tension:** 5 sts. and 10 rows to 1 in.

**Abbreviations:** See page three.

**BACK:** With No. 10 needles cast on 90 (94 : 98) sts. Work 2 ins. in k. 1, p. 1 rib. Change to No. 8 needles. K. 1 row. **Next row.**—K. 1, (p. 1, k. through centre of st. on row below next st., sl. st. above off needle) to last st., k. 1. These 2 rows form patt. Continue in patt. until work measures 13 ins. \*

**Raglan Shaping:** Dec. 1 st. each end of next and every 4th row until 40 sts. remain. Work 3 rows. Cast off.

**RIGHT FRONT:** With No. 10 needles cast on 44 (48 : 52) sts. Work as back to \*, ending k.

**Raglan Shaping:** Dec. 1 st. at beg. of next and every 4th row until 19 (21 : 23)

sts. remain. Work 3 rows more. Cast off.

**LEFT FRONT:** As right, reversing shapings.

**SLEEVES:** With No. 10 needles cast on 54 sts. Work 3½ ins. in k. 1, p. 1 rib. Change to No. 8 needles. Patt. as back, inc. 1 st. each end of every 12th row until there are 64 (68 : 72) sts. Continue until work measures 18 ins. Shape raglan as back until 14 sts. remain. Cast off.

**FRONT BANDS:** With No. 11 needles cast on 18 sts. Work 4 (6 : 8) rows in k. 1, p. 1 rib. **Next row.**—(make buttonhole).

**Rib 6, cast off 6, rib 6. Next row.**—Rib 6, cast on 6, rib 6. Continue in rib, making 6 more buttonholes 3¼ ins. apart. Work 4 (6 : 8) rows more in rib. Cast off ribwise.

**COLLAR:** With No. 11 needles cast on 139 sts. Work 4½ ins. in k. 1, p. 1 rib, beg. 2nd row p. 1. Change to No. 10 needles. Work 2 ins. more in rib. Cast off ribwise.

**MAKING UP:** Do not press. Join raglan side and sleeve seams. Sew on collar. Sew on front bands. Sew on buttons.

## Tailored for Him (continued from page nine)

**POCKET TOPS:** With right side facing and using No. 12 needles, work 9 rows in st.st. on pocket sts., beg. k. K. 1 row for hemline. Work 9 rows st.st., beg. k. Cast off.

**MAKING UP:** Do not press. Sew sleeve extension between shoulders of back and fronts. Set in remainder of sleeve to armhole.

Join side and sleeve seams. Sew on front bands, placing buttonholes on left front; fold in half, join lower edges then sew down sides on wrong side. Sew down pocket linings. Fold pocket tops in half at hemline; sew down, joining sides to fronts. Buttonhole st. round double buttonholes. Sew on buttons. Press all seams lightly.